Gear Fluid PG 460

date of version: 05.02.2018 V 1.1

KHS Filling and Packaging – Worldwide

date of version: 05.02.2018 V 1.1 date of issue: 08.12.2017	1 10
SECTION 1: Identification of the s	substance/mixture and of the company/undertaking
1.1 Product identifier	
Product name:	Gear Fluid PG 460
1.2 Relevant identified uses of the s	substance or mixture and uses advised against
Identified uses:	
Uses advised against:	No usage which is apart from.
1.3 Details of the supplier of the sa	fety data sheet
Manufacturer / Supplier	KHS GmbH Juchostr. 20 44143 Dortmund www.khs.com Germany
Telephone: Fax:	+49 (0)231 / 569-10000 +49 (0)231 / 569-410300
Contact Person:	Service Products
E-Mail:	service.products@khs.com
1.4 Emergency telephone number	+49 (0)6131 / 19240 (24h-emergency call)
SECTION 2: Hazards identification	1
2.1 Classification of the substance	The product has not been classified as hazardous and does not need to be

2.1 Classification of the substance or mixture	The product has not been classified as hazardous and does not need to be labelled according to regulation (EU) no 1272/2008 (CLP).
2.2 Label elements	not applicable
Hazard statements: Precautionary statements:	none
Supplemental label elements:	The product may not be released into the environment without control. By handling of chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept.
2.3 Other hazards	

Gear Fluid PG 460

KHS Filling and Packaging – Worldwide

05.02.2018 V 1.1 08.12.2017 date of version: date of issue:

2 | 10

SECTION 3: Composition/inform	ation on ingredients
3.1 Chemical characterization General information:	Synthesis oil preparation with additives. The ingredients are not hazardous and below the consideration limits.
SECTION 4: First aid measures	
General:	Instantly remove any clothing soiled by the product.
4.1 Description of first aid measure	25
Inhalation:	Supply fresh air; consult doctor in case of symptoms.
Eye contact:	Promptly wash eyes with plenty of water while lifting the eye lids.
Skin Contact:	Wash with soap and water. Im allgemeinen ist das Produkt nicht hautreizend.
Ingestion:	Rinse mouth thoroughly.
4.2 Most important symptoms and effects, both acute and delayed	Product be able to effects skin-, and eye irritations.
4.3 Indication of any immediate medical attention and special treatment needed	Get medical attention if symptoms occur.
SECTION 5: Firefighting measure	S
5.1 Extinguishing media	
Suitable extinguishing media:	CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant added

Gear Fluid PG 460



date of version: 05.02.2018 V 1.1 date of issue: 08.12.2017	3	10
Unsuitable extinguishing media:	water in full jet.	
Special hazards arising from the substance or mixture	During fire, gases hazardous to health may be formed.	
Advice for firefighters	Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.	
Special fire fighting procedures:	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	
SECTION 6: Accidental release me	easure	
6.1 Personal precautions, protective equipment and emergency procedures	In case of spills, beware of slippery floors and surfaces.	
6.2 Environmental precautions	Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water.	
6.3 Methods and material for containment and cleaning up	Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.	
6.4 Reference to other sections	Section 01 Contact information in case of an emergency Section 07 Handling and storage Section 08 appropriate personal protective equipment Section 13 Disposal considerations	

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

Gear Fluid PG 460



 date of version:
 05.02.2018
 V 1.1

 date of issue:
 08.12.2017

4 | 10

SECTION 7: Handling and storage	
7.1 Precautions for safe handling	Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practices. Provide adequate ventilation.
7.2 Conditions for safe storage, including any incompatibilities	Local regulations concerning handling and storage of waterpolluting products have to be followed.
7.3 Specific end use(s)	no data available.
Storage Class:	10, combustible liquids
SECTION 8: Exposure controls/personal protection	
8.1 Control parameters	

Occupational Exposure Limits

8.2 Exposure controls	None of the components have assigned exposure limits.
-----------------------	---

8.2.1 Appropriate engineering Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

8.2.2 Individual protection measures, such as personal protective equipment

General information: Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to inhandling the chemicals or the mineral oil products.

Gear Fluid PG 460

date of version: 05.02.2018 V 1.1



date of issue: 08.12.2017	5 1
Eye/face protection:	safety glasses (EN 166) recommended during refilling.
Hand Protection:	Material: Nitrile butyl rubber (NBR). Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. To safety directions. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
Other: Respiratory Protection:	Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing. Seek advice from local supervisor. Ensure good ventilation/exhaustion at the workplace. Avoid breathing vapour/ aerosol.
Thermal hazards:	no data available.
Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.
Environmental Controls:	no data available.

SECTION 9: Physical and chemical properties		
9.1 Information on basic physical and chemical properties		
Appearance		
Physical state:	liquid	
Form:	liquid	
colour:		
odor:	characteristic	
odor threshold:	Not applicable for mixtures	
pH:	not applicable	
boiling Point:	Not applicable for mixtures	
flash point:	not applicable	
flash point:	220°C	

Gear Fluid PG 460

date of version: date of issue:

05.02.2018 V 1.1 08.12.2017



6 | 10

evaporation Rate:	Not applicable for mixtures
flammability (solid, gas):	Value not relevant for classification.
flammability limit - Upper (%)-:	Not applicable for mixtures
flammability Limit - Lower (%)–:	Not applicable for mixtures
vapor pressure:	Not applicable for mixtures
vapor density (air=1):	Not applicable for mixtures
density:	1,06 g/cm3 (20 °C)
solubility(ies)	
solubility in Water:	
solubility (other):	no data available.
partition coefficient (n- octanol/water):	Not applicable for mixtures
autoignition Temperature:	
autoignition Temperature:	Value not relevant for classification.
decomposition Temperature:	Value not relevant for classification.
kinematic viscosity:	460 mm2/s (40 °C)
explosive properties:	Value not relevant for classification.
oxidizing properties:	Value not relevant for classification.
9.2 other information	

SECTION 10:stability and reactivity

10.1 reactivity	Stable under normal use conditions.
10.2 chemical stability	Stable under normal use conditions.
10.3 possibility of hazardous reactions	Stable under normal use conditions.
10.4 conditions to avoid	Stable under normal use conditions.
10.5 incompatible materials	Strong oxidizing substances. Strong acids. Strong bases.
10.6 hazardous decomposition products	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

SECTION 11:toxicological information

11.1 information on likely routes of exposure	
Acute toxicity	
Oral product:	Not classified for acute toxicity based on available data.
Dermal product:	Not classified for acute toxicity based on available data.

Gear Fluid PG 460

date of version: 05.02.2018 V 1.1



date of version: 05.02.2018 V 1.1 date of issue: 08.12.2017		7 10
Inhalation product:	Not classified for acute toxicity based on available data.	
skin corrosion/irritation: product:	Not classified for acute toxicity based on available data.	
serious eye damage/eye irritation product:	Not classified for acute toxicity based on available data.	
respiratory or skin sensitization:	Not classified for acute toxicity based on available data.	
germ cell mutagenicity product:	Not classified for acute toxicity based on available data.	
carcinogenicity product:	Not classified for acute toxicity based on available data.	
reproductive toxicity product:	Not classified for acute toxicity based on available data.	
specific target organ toxicity - single exposure product:	Not classified for acute toxicity based on available data.	
specific target organ toxicity - repeated exposure product:	Not classified for acute toxicity based on available data.	
aspiration hazard product:	Not classified for acute toxicity based on available data.	
other adverse effects:	no data available.	

SECTION 12 :Ecological information

12.1 Toxicity	
Acute toxicity	Based on available data, the classification criteria are not met.
product:	
chronic toxicity product:	Based on available data, the classification criteria are not met.
12.2 Persistence and Degradability	
Biodegradation	Not applicable for mixtures
product:	
12.3 Bioaccumulative potential	
product:	Not applicable for mixtures
12.4 mobility in soil	
product:	Not applicable for mixtures
12.5 results of PBT and vPvB	product does not includes indegriends
assessment:	

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

Gear Fluid PG 460

KHS Filling and Packaging – Worldwide

date of version: 05.02.2018 V 1.1 date of issue: 08.12.2017		8 10		
12.6 other adverse effects	no data available.			
water hazard class (WGK):	WGK 1: slightly water-endangering.			
SECTION 13: disposal considerations				
13.1 waste treatment method general information:	s Dispose in accordance with all applicable regulations.			
disposal methods:	Do not empty into drains; dispose of this material and ist			

container in a safe way. When storing used products, ensure

that the waste categories and mixing instructions are

observed.

SECTION 14: transport information

ADR/RID

	14.1 UN number:	
	14.2 UN proper	
	shipping name:	
	14.3 transport hazard class(es)	non-dangerous goods
	class	
label(s)		
	hazard no. (ADR):	
tunnel restriction code:		
	14.4 packing group:	
14.5 environmental hazards:		
	14.6 special precautions for user:	

ADN

14.1 UN number: 14.2 UN proper shipping name: 14.3 transport hazard class(es) non-dangerous goods class 14.4 packing group: 14.5 environmental hazards: 14.6 special precautions for user:

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

Gear Fluid PG 460

date of version: 05.02.2018 V 1.1 date of issue: 08.12.2017

14.1 UN number:

Filling and Packaging – Worldwide

9 | 10

14.2 UN proper
shipping name:
14.3 transport hazard class(es) non-dangerous goods class
14.4 packing group:
14.5 environmental hazards:
14.6 special precautions for user:

IATA
14.1 UN number:
14.2 UN proper

14.1 UN number:
14.2 UN proper
shipping name:
14.3 transport hazard class(es) non-dangerous goods
class
14.4 packing group:
14.5 environmental hazards:
14.6 special precautions for user:

SECTION 15: regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations

Regulation (EC) No. 2037/2000 none Substances that deplete the ozone layer:

Regulation (EC) No. 850/2004 on none persistent organic pollutants:

national regulations

water hazard class (WGK): WGK 1: slightly water-endangering.

15.2 chemical safety assessment: No Chemical Safety Assessment has been carried out.

Gear Fluid PG 460

05.02.2018 V 1.1 08.12.2017 date of version: date of issue:



10 | 10

SECTION 16: other information		
revision Information:	Vertical lines in the margin indicate an amendment.	
wording of the H-statements in section 2 and 3	H315 Causes skin irritation.	
	H317 May cause an allergic skin reaction	
	H318 Causes serious eye damage	
	H412 Harmful to aquatic life with long lasting effects	
other information:	The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies. The classification results from the Conventional Method mentioned in regulation EU 1272/2008 (CLP).	
revision date:	05.02.2018	
	section 10.5 has been corrected.	
disclaimer:	The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.	